



LEKKONSENTRAAT

CLASS PROTEIN, MINERAL AND TRACE-MINERAL SUPPLEMENT FOR RUMINANTS
REG NR. V 16897 ACT 36 OF 1947

BAG CODE ●●●

COMPOSITION		g/kg
PROTEIN (min)		820
NPN as % of PROTEIN (max)		85.8%
UREA (max)		222
MOISTURE (max)		120
CALCIUM (max)		50
CALCIUM (min)		30
PHOSPHORUS (min)		27
SULPHUR (min)		12
		mg/kg
COPPER (min)		104
MANGANESE (min)		525
ZINC (min)		525
COBALT (min)		1.6
IODINE (min)		6.25
SELENIUM (min)		1.6

WARNING

- This animal fodder contains an NPN source and should be fed strictly according to instructions. Do not feed together with any other animal fodder containing NPN. Consult a livestock expert.
- When the transition is made from an NPN-free fodder to a product containing NPN, it is best to feed a 50/50 mixture of the old and the new product for an adjustment period of four to six days.
- Vinegar works efficiently against NPN poisoning. Mix with equal parts of water, and provide half a bottle per calf or large sheep and two to four bottles per head of cattle (1 bottle = 750ml).
- Keep this product out of the rain. Urea is soluble, and animals that drink such a solution can be poisoned.
- This is a supplement, not a fodder. Sufficient pastures and/or roughage should be available at all times.

	Winterlek Stubble fields lick		Winterlek44		Winterlek Veld lick		Produksielek		Energielek		P4	
MIXING INSTRUCTIONS	Bags	kg	Bags	kg	Bags	kg	Bags	kg	Bags	kg	Bags	kg
Maize/chop	-	-	3	150	6	300	10	500	13	650	1	50
Salt	8	400	6	300	5	250	4	200	3	150	8	400
Lekkonsentraat	12	600	11	550	8	400	5	250	4	200	6	300
Oilcake	-	-	-	-	1	50	1	50	-	-	-	-
Biofos P12	-	-	-	-	-	-	-	-	-	-	5	250
COMPOSITION												
Protein g/kg	490		450		360		260		220		25	
Urea g/kg	130		110		90		55		44		66	
Calcium g/kg	30		30		20		15		11		68	
Phosphorus g/kg	15		15		10		7		7		38	
Energy ME mg/kg	-		-		-		8.1		9.2		-	